Things you need to do before you start using this tool.

- 1. Download and install itunes
- 2. Download and install 3utools
- 3. Download and install .net framework
- 4. Down WinRa1n 1.0 from support

How to make Activation Backup & Restore Passcode etc.. for iPads with iOS 16.x which will bootloop after operations.



Step 1:

- 1. Start UMT IOS Tool providing you have EMMC Addon Activation Active.
- 2. Select Ramdisk (IOS Version), if your phone IOS 16.6 Please do not try yet.
- 3. Select Boot iOS 11.x to 15.x.
- 4. Put iPad in DFU Mode.
- 5. Press Check Device (DFU Mode).

🔚 WinRa1n 1.0 (Beta)		—	
Welcome to WinRa1n! iPad (5th gen, WiFi) connected in CheckM8 Mode ECID: 000005B7CA9C6404 CPID: 0x8000	1		
[CHECKM8] [STAGE]: Exploit Success!			
3			
🔿 💽 <u>ikeytools.com</u>	(L) Like (D) [2 Done	(Q) Quit

- 6. Start Winra1n software downloaded from support area.
- 7. Wait until iPad detected as in screenshot above.
- 8. Click Next and follow steps, wait until PWNDFU is done.

é UMT iOS Ramdisk Activator V3.1		- 🗆 X
Main Utils		
Select ramdisk version Boot IOS 11x to 15x V Select Device Model		[*]==> Operation : RAMDISK-BOOT [*]==> Reading Device Infos [DFU Mode] CPID : 0X8000 ECID : 0X000005B7CA9C6404 PWND: LKEYM8
iPad(5th gen, WiFi)iPad6,11_j71sap	~	MODE: DFU PRODUCT: iPad6,11
Check Device (Normal Mode) Check Device ((DFU Mode)	MODEL : ;/Isap [*]==> Device : brad(5th gen, WiFi)iPad6,11_j71sap [*]==> Device is in PWNDFU Mode: IKEYM8 [*]==> Exploiting phone, wait [*]==> Sending sho 100 0%
Boot Ramdisk(PWNDFU) Erase phone((PWNDFU)	[*]==> Sending Biss OK [*]==> Sending Biss OK [*]==> Sending Bisc OK [*]==> Sending randisk OK [*]==> Sending devicetree OK [*]==> Sending devicetree OK
Test SSH(Ramdisk) SSH Utils		[]==> Sending Kernelcache 0K [*]==> Booting DeviceSUCCESS
Read Apple ID Passcode (Ramdisk Mode)	🗸 🛛 Do job	======================================
Bypass Hello		
Get Activation(Hello Screen-Normal Mode)	Do Job	Exe version: UMT iOS Ramdisk Activator V3.1
Passcode PWNDFU		_2023_06_17_21_06_34.txt
Backup Activation(Passcode-Ramdisk Mode)	V Do Job	
		CPID:8000 ECID:00000587CA9C6404
Ready.		SSH: 2222 UMT888888888 Friday, 16 June 2023 Ramdisk

- 9. Press Boot Ramdisk (PWNDFU)
- 10. Wait Until Boot successful of Ramdisk
- 11. Make sure that after boot it will show at bottom right corner of software : Ramdisk

🗯 UMT iOS Ramdisk Activator V3.1				_	
Main Utils					
Select ramdisk version Boot 105 11x to 15x Select Device Model	~	[*]==> Opening SSH Tunne SSH finish connection [*]==> FileSystem already [*]==> Creating Backup FG [*]==> Catting Activation	el Proxy / mounted, skip mount slderOK		
iPad(5th gen, WiFi)iPad6,11_j71sap	~	[*]==> Getting Activation [*]==> Getting Activation [*]==> Getting Activation	DATA Stage #1 DATA Stage #2 DATA Stage #3		
Check Device (Normal Mode)	Check Device (DFU Mode)	[*]==> Activation Backup [*]==> File: C:\UMT\iphone	Successfully Done. e_ramdisk_module\Data\B	ackup\0X000005B7CA9	0C6404
Boot Ramdisk(PWNDFU)	Erase phone(PWNDFU)	[*]==> Activation Backup	Successfully Done.	3	
Test SSH(Ramdisk)		В	ackup Successfully !!	×	
Read Apple ID Passcode (Ramdisk Mod Bypass Hello	le) 🗸 Do job		Your Backup Has Bee Erase device Now ??	n Successfully saved	
Get Activation(Hello Screen-Normal Mo	ode) 🗸 Do Job		4 Ye	s No	
Backup Activation-Erase(Passcode-Rar	mdisk Mode) 🗸 Do Job	2			
	1	CPID:8000	ECID:000005B7CA9C64	04	
Working			SSH: 2222 UMT888888888	Friday, 16 June 2023	Ramdisk

- 12. Now Select from Passcode PWNDFU Menu: Backup Activation Erase (Passcode-Ramdisk Mode).
- 13. Click Do JOB.
- 14. Once Process is done, Popup windows will open asking it can Erase device? Click YES.

Select ramdisk version Boot IOS 11x to 15x Select Device Model			[*]==> Opening SSH Tunnel Proxy SSH finish connection
			<pre>[*]==> FileSystem already mounted, skip mount [*]==> Creating Backup FolderOK [*]==> Creating Activitien DATA Espace #1</pre>
iPad(5th gen, WiFi)iPad6,11_j71sap		~	[*]==> Getting Activation DATA Stage #2 [*]==> Getting Activation DATA Stage #3
Check Device (Normal Mode)	Check Device (DFU	Mode)	[*]==> Activation Backup Successfully Done. [*]==> File: C:\UMT\iphone_ramdisk_module\Data\Backup\0X000005B7CA9C6404
			PasscodeBackup_2023_06_17_21_09_32.zip
Boot Ramdisk(PWNDFU)	Erase phone(PWN	DFU)	[*]==> Activation Backup Successfully Done.
			[*]==> Rebooting Device, wait untill device will restart.
Test SSH(Ramdisk)			
5H Utils			UMT iOS Ramdisk Activator V3.1
Read Apple ID Passcode (Ramdisk M	ode) 🗸 🗸	Do job	
ypass Hello			Erase successfully in Next Boot !!
Get Activation(Hello Screen-Normal I	Mode) 🗸	Do Job	
asscode PWNDFU			2 ок
Backup Activation-Erase(Passcode-R	amdisk Mode) 🗸	Do Job	
			CPID:8000 ECID:000005B7CA9C6404

15. Once Erase is successful, a pop windows will open again, Press OK.

🗯 UMT iOS Ramdisk Activator V3.1		- 🗆 X
Main Utils		
Select ramdisk version Boot IOS 11x to 15x	~	[*]==> Opening SSH Tunnel Proxy SSH finish connection [*]==> FileSystem already mounted, skip mount [*]==> Creating Backup FolderOK
iPad(5th gen, WiFi)iPad6,11_j71sap	~	[*]==> Getting Activation DATA Stage #1 [*]==> Getting Activation DATA Stage #2 [*]==> Getting Activation DATA Stage #3
Check Device (Normal Mode)	Check Device (DFU Mode)	[*]==> Activation Backup Successfully Done. [*]==> File: C:\UMT\iphone_ramdisk_module\Data\Backup\0X000005B7CA9C6404 _PasscodeBackup_2023_06_17_21_09_32.zip
Boot Ramdisk(PWNDFU)	Erase phone(PWNDFU)	[*]==> Activation Backup Successfully Done.
		[*]==> Rebooting Device, wait untill device will restart.
Test SSH(Ramdisk)		
SSH Utils		UMT iOS Ramdisk Activator V3.1
Read Apple ID Passcode (Ramdisk Me	ode) 🗸 Do job	
Bypass Hello		SUCCESS: Activation Backup Successfull
Get Activation(Hello Screen-Normal N	Mode) 🗸 Do Job	
Passcode PWNDFU		
Backup Activation-Erase(Passcode-R	amdisk Mode) 🗸 Do Job	ОК
		CPID:8000 ECID:000005B7CA9C6404
Working		SSH: 2222 UMT888888888 Friday 16 June 2023 Device Disconnected

- 16. Another Popup windows will show up, Press Ok again.
- 17. Now your iPad is in Boot loop mode (Restarting on logo).
- 18. VERY IMPORTANT: Now Put iPad in Recovery, Flash iPad with Retain user data ticked.

🖕 UMT iOS Ramdisk Activator V3.1			- O X
Main Utils			
Select ramdisk version Boot IOS 11x to 15x	~		[*]==> Opening SSH Tunnel Proxy SSH finish connection [*]==> Restore Activation Successfully Done.
iPad(5th gen, WiFi)iPad6,11_j71sap		~	[*]==> Hiet: C: (UF11 /Upnone_ramdisk_module (Uata (Backup (UXUUUUUSB/CA9C6404 _PasscodeBackup_2023_06_17_21_09_32.zip / ====================================
Check Device (Normal Mode)	Check Device (DFU	Mode)	
			[*]==> Rebooting Device, wait untill device will restart. Exe version: UNT IOS Ramdisk Activator V3.1 Los saved by Lopekert activation passcode 0/8000 iPad (5th gen_WEI) 17(sap
Boot Ramdisk(PWNDFU)	Erase phone(PWN	idfu)	0X000005B7CA9C6404_2023_06_17_21_44_48.txt
Test 55H(Ramdisk)			3
SSH Utils			9
Read Apple ID Passcode (Ramdisk Mo	ode) 🗸	Do job	
Bypass Hello	_		9
Get Activation(Hello Screen-Normal M	lode) 🗸	Do Job	
Passcode PWNDFU			
Restore Activation(Passcode-Ramdis	k Mode) 1 🗡	Do Job	2
			CPID:8000 ECID:000005B7CA9C6404
Ready.			SSH: 2222 UMT888888888 Friday, 16 June 2023

- 19. After Flashing is finished, Repeat steps 1 until 11.
- 20. Select Passcode menu, Restore Activation (Passcode-Ramdisk Mode).
- 21. Select Backed up zip file when window pops up, Press ok.
- 22. Click Do JOB.
- 23. Wait until process in Done.
- 24. VERY IMPORTANT: Now Put iPad in Recovery, Flash iPad with Retain user data ticked.
- 25. ALL DONE.